ENCODE DCC Antibody Validation Document

| Date of | Submission | 9-6-12 | | | | | | | | |
|---|------------------------|---|-----------|-----------------------|--------------------|----------|--------|----------------|-------------|--|
| Name: | Cheryl Keller | | | Email: cak142@psu.edu | | | | | | |
| | | Lab | Hardison | | | | | | | |
| Antiboc | ly Name: H3I | <36me3 | | Targ | _{et:} H3K | (36me3 | | | | |
| | | Compar Source: | Abcam | | | | | | | |
| Catalog Number, database ID, laboratory ab9050 | | | ab9050 | | Lot N | lumber | GR541 | 8-1, 947454 ai | nd 826245 | |
| Antibody Description: | | | | | | | | | | |
| Target Descriptio | | 13 trimethylated or | Iysine 36 | | | | | | | |
| Species Target Mouse | | | | Species Host Rabbit | | | | | | |
| Validation Method #1 Dot Blot | | | | Validation Method #2 | | | | | | |
| | Purification Method | Affinity | | | clonal/ oclonal | Polyclor | nal | | | |
| | | Vendor URL: | | w.abcam. 36-antibo | | | B-tri- |] | | |
| Reference (PI/ Publication Information) Wu W, Cheng Y, Keller CA, Ernst J, Kumar SA, Mishra T, Morrissey C, Dorman CM, Chen KB, Drautz D, Giardine B, Shibata Y, Song L, Pimkin M, Crawford GE, Furey TS, Kellis M, Miller W, Taylor J, Schuster SC, Zhang Y, Chiaromonte F, Blobel GA, Weiss MJ, Hardison RC. Dynamics of the epigenetic landscape during erythroid | | | | | | | | | | |
| if your specific | | wing for antibodies sted in the drop-down l e information | | difications | | | | | | |
| Histone Nan | ne H3 | AA modified | Lysine | | AA Pos | ition 30 | 6 | Modificatio | Methylation | |

| Validation #1 Analysis | Dr. Brad Bernstein and his colleagues at the Broad Institute have already validated this and several other antibodies directed against specific histone modifications. They spotted synthetic peptides containing one of about 20 histone modifications on a blot, in two different concentrations. The blot was then allowed to react with the antibody, and the antigen-antibody complexes were visualized and quantified. In each case, the antibody showed strong specificit This is far better than showing a single band on a Western blot, since all the modifications we examine are on histone H3, and they all will show the H3 band. The Western blot will not demonstrate specificity for a particular modification, whereas the dot blot does. The relevant document for H3K36me3 is http://hgwdev.cse.ucsc.edu/ENCODE/validation/antibodies/ human_H3K36me3_validation_Bernstein.pdf | | | | |
|---------------------------|--|--|--|--|--|
| | Our "validation point" for mouse is that there is nothing species-specific about the existing validations. Synthetic peptides were used on the blot, and the assay was for specific reaction with the antibody. The peptides on the blot were not species-specific because HUMAN AND MOUSE HISTONE H3 ARE IDENTICAL IN THE RELEVANT REGIONS. Human and mouse H3 differ at only one position, amino acid 97, where a Cys in human is replaced by a Ser in mouse. There are NO differences in the relevant region, which is the N-terminal 36 amino acids. | | | | |

Insert Validation Image (click here)



Insert Validation Image (Click here)

Submit by Email